

Lab ID - N/A
Lab Name - N/A
State - PA
PA County - Bucks, Montgomery
Matrix - Drinking Water
Analytes - All
Methods - All
Lab Type - Commercial Only

09-00332
Analytical Laboratories, Inc
4208 Bethlehem Pike
Telford, PA 18969
(215) 723-6466

TYPE	EFFECTIVE DATE	MATRIX	ANALYTE	METHOD
STATE	12/10/2007	Drinking Water	Total dissolved solids (TDS)	SM 2540 C
STATE	12/10/2007	Drinking Water	Nitrate as N	SM 4500-NO3- E
STATE	12/10/2007	Drinking Water	Nitrite as N	SM 4500-NO3- E
STATE	12/10/2007	Drinking Water	Total nitrate-nitrite	SM 4500-NO3- E
STATE	04/15/2021	Drinking Water	Heterotrophic bacteria (Enumeration)	SM 9215 B
STATE	05/20/2009	Drinking Water	Total coliform & E. coli (P/A)	SM 9222 B + 9222 G or 9221 F [EC+MUG]

46-00026
Aqua Pennsylvania, Inc.
762 W. Lancaster Avenue
Bryn Mawr, PA 19010-3489
(610) 525-1400

TYPE	EFFECTIVE DATE	MATRIX	ANALYTE	METHOD
STATE	01/23/2014	Drinking Water	Magnesium	ASTM D6919-09
STATE	01/23/2014	Drinking Water	Potassium	ASTM D6919-09
STATE	01/23/2014	Drinking Water	Sodium	ASTM D6919-09
STATE	05/26/2005	Drinking Water	Aluminum	EPA 200.8 (Rev. 5.4)
STATE	09/30/2003	Drinking Water	Antimony	EPA 200.8 (Rev. 5.4)

Accredited Labs Report

7/22/2022 7:19:41 AM

TYPE	EFFECTIVE DATE	MATRIX	ANALYTE	METHOD
STATE	09/30/2003	Drinking Water	Arsenic	EPA 200.8 (Rev. 5.4)
STATE	09/30/2003	Drinking Water	Barium	EPA 200.8 (Rev. 5.4)
STATE	09/30/2003	Drinking Water	Beryllium	EPA 200.8 (Rev. 5.4)
STATE	09/30/2003	Drinking Water	Cadmium	EPA 200.8 (Rev. 5.4)
STATE	09/30/2003	Drinking Water	Chromium	EPA 200.8 (Rev. 5.4)
STATE	09/30/2003	Drinking Water	Copper	EPA 200.8 (Rev. 5.4)
STATE	09/30/2003	Drinking Water	Copper	EPA 200.8 (Rev. 5.4)
STATE	05/30/2003	Drinking Water	Iron	EPA 200.8 (Rev. 5.4)
STATE	09/30/2003	Drinking Water	Lead	EPA 200.8 (Rev. 5.4)
STATE	05/26/2005	Drinking Water	Manganese	EPA 200.8 (Rev. 5.4)
STATE	09/30/2003	Drinking Water	Nickel	EPA 200.8 (Rev. 5.4)
STATE	09/30/2003	Drinking Water	Selenium	EPA 200.8 (Rev. 5.4)
STATE	09/30/2003	Drinking Water	Silver	EPA 200.8 (Rev. 5.4)
STATE	09/30/2003	Drinking Water	Thallium	EPA 200.8 (Rev. 5.4)
STATE	06/05/2020	Drinking Water	Uranium (mass)	EPA 200.8 (Rev. 5.4)
STATE	05/26/2005	Drinking Water	Zinc	EPA 200.8 (Rev. 5.4)
STATE	06/28/2022	Drinking Water	Mercury	EPA 245.1 (Rev. 3.0)
STATE	05/26/2005	Drinking Water	Chloride	EPA 300.0 (Rev. 2.1)
STATE	06/19/2009	Drinking Water	Fluoride	EPA 300.0 (Rev. 2.1)
STATE	09/30/2003	Drinking Water	Nitrate as N	EPA 300.0 (Rev. 2.1)
STATE	09/30/2003	Drinking Water	Nitrite as N	EPA 300.0 (Rev. 2.1)
STATE	09/30/2003	Drinking Water	Sulfate	EPA 300.0 (Rev. 2.1)
STATE	09/30/2003	Drinking Water	Bromide	EPA 300.1 (Rev. 1.0)
STATE	09/30/2003	Drinking Water	Chlorite	EPA 300.1 (Rev. 1.0)
STATE	01/23/2012	Drinking Water	1,1,1-Trichloroethane	EPA 524.3 (Rev. 1.0)
STATE	01/23/2012	Drinking Water	1,1,2-Trichloroethane	EPA 524.3 (Rev. 1.0)
STATE	01/23/2012	Drinking Water	1,1-Dichloroethene (1,1-Dichloroethylene)	EPA 524.3 (Rev. 1.0)
STATE	02/06/2019	Drinking Water	1,2,3-Trichloropropane (1,2,3-TCP)	EPA 524.3 (Rev. 1.0)

Accredited Labs Report

7/22/2022 7:19:41 AM

TYPE	EFFECTIVE DATE	MATRIX	ANALYTE	METHOD
STATE	01/23/2012	Drinking Water	1,2,4-Trichlorobenzene	EPA 524.3 (Rev. 1.0)
STATE	01/23/2012	Drinking Water	1,2-Dichlorobenzene (o-Dichlorobenzene)	EPA 524.3 (Rev. 1.0)
STATE	01/23/2012	Drinking Water	1,2-Dichloroethane	EPA 524.3 (Rev. 1.0)
STATE	01/23/2012	Drinking Water	1,2-Dichloropropane	EPA 524.3 (Rev. 1.0)
STATE	01/23/2012	Drinking Water	1,4-Dichlorobenzene (p-Dichlorobenzene)	EPA 524.3 (Rev. 1.0)
STATE	01/23/2012	Drinking Water	Benzene	EPA 524.3 (Rev. 1.0)
STATE	09/12/2017	Drinking Water	Bromodichloromethane	EPA 524.3 (Rev. 1.0)
STATE	09/12/2017	Drinking Water	Bromoform	EPA 524.3 (Rev. 1.0)
STATE	01/23/2012	Drinking Water	Carbon tetrachloride	EPA 524.3 (Rev. 1.0)
STATE	01/23/2012	Drinking Water	Chlorobenzene	EPA 524.3 (Rev. 1.0)
STATE	09/12/2017	Drinking Water	Chloroform	EPA 524.3 (Rev. 1.0)
STATE	09/12/2017	Drinking Water	Dibromochloromethane	EPA 524.3 (Rev. 1.0)
STATE	01/23/2012	Drinking Water	Ethylbenzene	EPA 524.3 (Rev. 1.0)
STATE	01/23/2012	Drinking Water	Methylene chloride (Dichloromethane)	EPA 524.3 (Rev. 1.0)
STATE	01/23/2012	Drinking Water	Styrene	EPA 524.3 (Rev. 1.0)
STATE	01/23/2012	Drinking Water	Tetrachloroethene (PCE, Perchloroethylene)	EPA 524.3 (Rev. 1.0)
STATE	01/23/2012	Drinking Water	Toluene	EPA 524.3 (Rev. 1.0)
STATE	01/23/2012	Drinking Water	Total trihalomethanes (TTHMs)	EPA 524.3 (Rev. 1.0)
STATE	01/23/2012	Drinking Water	Trichloroethene (TCE, Trichloroethylene)	EPA 524.3 (Rev. 1.0)
STATE	01/23/2012	Drinking Water	Vinyl chloride (Chloroethene)	EPA 524.3 (Rev. 1.0)
STATE	01/23/2012	Drinking Water	Xylenes, total	EPA 524.3 (Rev. 1.0)
STATE	01/23/2012	Drinking Water	cis-1,2-Dichloroethene	EPA 524.3 (Rev. 1.0)
STATE	01/23/2012	Drinking Water	trans-1,2-Dichloroethene	EPA 524.3 (Rev. 1.0)
STATE	06/28/2018	Drinking Water	Perfluorobutanesulfonic acid (PFBS)	EPA 537 (Rev. 1.1)
STATE	06/28/2018	Drinking Water	Perfluoroheptanoic acid (PFHpA)	EPA 537 (Rev. 1.1)
STATE	06/28/2018	Drinking Water	Perfluorohexanesulfonic acid (PFHxS)	EPA 537 (Rev. 1.1)
STATE	06/28/2018	Drinking Water	Perfluorononanoic acid (PFNA)	EPA 537 (Rev. 1.1)
STATE	06/28/2018	Drinking Water	Perfluorooctanesulfonic acid (PFOS)	EPA 537 (Rev. 1.1)

Accredited Labs Report

7/22/2022 7:19:41 AM

TYPE	EFFECTIVE DATE	MATRIX	ANALYTE	METHOD
STATE	06/28/2018	Drinking Water	Perfluorooctanoic acid (PFOA)	EPA 537 (Rev. 1.1)
STATE	03/27/2015	Drinking Water	Bromoacetic acid (Monobromoacetic acid, MBAA)	EPA 552.3 (Rev. 1.0)
STATE	03/27/2015	Drinking Water	Chloroacetic acid (Monochloroacetic acid, MCAA)	EPA 552.3 (Rev. 1.0)
STATE	03/27/2015	Drinking Water	Dibromoacetic acid (DBAA)	EPA 552.3 (Rev. 1.0)
STATE	03/27/2015	Drinking Water	Dichloroacetic acid (DCAA)	EPA 552.3 (Rev. 1.0)
STATE	03/27/2015	Drinking Water	Total haloacetic acids (HAA)	EPA 552.3 (Rev. 1.0)
STATE	03/27/2015	Drinking Water	Trichloroacetic acid (TCAA)	EPA 552.3 (Rev. 1.0)
STATE	01/08/2009	Drinking Water	Alkalinity as CaCO ₃	SM 2320 B
STATE	05/26/2005	Drinking Water	Hardness	SM 2340 C
STATE	08/27/2014	Drinking Water	Conductivity	SM 2510 B
STATE	09/30/2003	Drinking Water	Total dissolved solids (TDS)	SM 2540 C
STATE	05/03/2018	Drinking Water	Cyanide	SM 4500-CN- F
STATE	12/13/2012	Drinking Water	Preliminary treatment of phosphate samples	SM 4500-P B
STATE	12/13/2012	Drinking Water	Phosphorus, total	SM 4500-P E
STATE	06/24/2016	Drinking Water	Dissolved organic carbon (DOC)	SM 5310 C
STATE	09/30/2003	Drinking Water	Total organic carbon (TOC)	SM 5310 C
STATE	09/30/2003	Drinking Water	UV 254	SM 5910 B
STATE	01/23/2020	Drinking Water	Heterotrophic bacteria (Enumeration)	SM 9215 B (Reagent Water Testing Only) (Rev. 18th-23rd ED)
STATE	10/30/2006	Drinking Water	E. coli (Enumeration)	SM 9223 Colilert
STATE	06/17/1997	Drinking Water	Total coliform & E. coli (P/A)	SM 9223 Colilert

09-01225
Criterion Laboratories Inc
400 Street Road
Suite 100
Bensalem, PA 19020
(215) 244-1300

TYPE	EFFECTIVE DATE	MATRIX	ANALYTE	METHOD
STATE	06/24/2021	Drinking Water	Arsenic	EPA 200.5 (Rev. 4.2)

Accredited Labs Report

7/22/2022 7:19:41 AM

TYPE	EFFECTIVE DATE	MATRIX	ANALYTE	METHOD
STATE	06/24/2021	Drinking Water	Barium	EPA 200.5 (Rev. 4.2)
STATE	06/24/2021	Drinking Water	Beryllium	EPA 200.5 (Rev. 4.2)
STATE	06/24/2021	Drinking Water	Cadmium	EPA 200.5 (Rev. 4.2)
STATE	06/24/2021	Drinking Water	Chromium	EPA 200.5 (Rev. 4.2)
STATE	06/24/2021	Drinking Water	Copper	EPA 200.5 (Rev. 4.2)
STATE	06/24/2021	Drinking Water	Lead	EPA 200.5 (Rev. 4.2)
STATE	06/24/2021	Drinking Water	Manganese	EPA 200.5 (Rev. 4.2)
STATE	06/24/2021	Drinking Water	Selenium	EPA 200.5 (Rev. 4.2)
STATE	06/24/2021	Drinking Water	Silver	EPA 200.5 (Rev. 4.2)
STATE	09/22/2020	Drinking Water	Copper	EPA 200.7 (Rev. 4.4)
STATE	06/24/2021	Drinking Water	Mercury	EPA 245.1 (Rev. 3.0)
STATE	08/18/2020	Drinking Water	1,1,1-Trichloroethane	EPA 524.3 (Rev. 1.0)
STATE	08/18/2020	Drinking Water	1,1,2-Trichloroethane	EPA 524.3 (Rev. 1.0)
STATE	08/18/2020	Drinking Water	1,1-Dichloroethene (1,1-Dichloroethylene)	EPA 524.3 (Rev. 1.0)
STATE	08/18/2020	Drinking Water	1,2,4-Trichlorobenzene	EPA 524.3 (Rev. 1.0)
STATE	08/18/2020	Drinking Water	1,2-Dichlorobenzene (o-Dichlorobenzene)	EPA 524.3 (Rev. 1.0)
STATE	08/18/2020	Drinking Water	1,2-Dichloroethane	EPA 524.3 (Rev. 1.0)
STATE	08/18/2020	Drinking Water	1,2-Dichloropropane	EPA 524.3 (Rev. 1.0)
STATE	08/18/2020	Drinking Water	1,4-Dichlorobenzene (p-Dichlorobenzene)	EPA 524.3 (Rev. 1.0)
STATE	08/18/2020	Drinking Water	Benzene	EPA 524.3 (Rev. 1.0)
STATE	07/13/2020	Drinking Water	Bromodichloromethane	EPA 524.3 (Rev. 1.0)
STATE	07/13/2020	Drinking Water	Bromoform	EPA 524.3 (Rev. 1.0)
STATE	08/18/2020	Drinking Water	Carbon tetrachloride	EPA 524.3 (Rev. 1.0)
STATE	08/18/2020	Drinking Water	Chlorobenzene	EPA 524.3 (Rev. 1.0)
STATE	07/13/2020	Drinking Water	Chloroform	EPA 524.3 (Rev. 1.0)
STATE	07/13/2020	Drinking Water	Dibromochloromethane	EPA 524.3 (Rev. 1.0)
STATE	08/18/2020	Drinking Water	Ethylbenzene	EPA 524.3 (Rev. 1.0)
STATE	08/18/2020	Drinking Water	Methylene chloride (Dichloromethane)	EPA 524.3 (Rev. 1.0)

Accredited Labs Report

7/22/2022 7:19:41 AM

TYPE	EFFECTIVE DATE	MATRIX	ANALYTE	METHOD
STATE	08/18/2020	Drinking Water	Styrene	EPA 524.3 (Rev. 1.0)
STATE	08/18/2020	Drinking Water	Tetrachloroethene (PCE, Perchloroethylene)	EPA 524.3 (Rev. 1.0)
STATE	08/18/2020	Drinking Water	Toluene	EPA 524.3 (Rev. 1.0)
STATE	07/13/2020	Drinking Water	Total trihalomethanes (TTHMs)	EPA 524.3 (Rev. 1.0)
STATE	08/18/2020	Drinking Water	Trichloroethene (TCE, Trichloroethylene)	EPA 524.3 (Rev. 1.0)
STATE	08/18/2020	Drinking Water	Vinyl chloride (Chloroethene)	EPA 524.3 (Rev. 1.0)
STATE	08/18/2020	Drinking Water	Xylenes, total	EPA 524.3 (Rev. 1.0)
STATE	08/18/2020	Drinking Water	cis-1,2-Dichloroethene	EPA 524.3 (Rev. 1.0)
STATE	08/18/2020	Drinking Water	trans-1,2-Dichloroethene	EPA 524.3 (Rev. 1.0)
STATE	03/10/2022	Drinking Water	11-Chloroeicosafuoro-3-oxaundecane-1-sulfonic acid (11CI-PF3OUdS)	EPA 533 (Rev. 1.0)
STATE	03/10/2022	Drinking Water	1H, 1H, 2H, 2H-Perfluorodecane sulfonic acid (8:2-FTS)	EPA 533 (Rev. 1.0)
STATE	03/10/2022	Drinking Water	1H, 1H, 2H, 2H-Perfluorohexane sulfonic acid (4:2-FTS)	EPA 533 (Rev. 1.0)
STATE	03/10/2022	Drinking Water	1H, 1H, 2H, 2H-Perfluorooctane sulfonic acid (6:2-FTS)	EPA 533 (Rev. 1.0)
STATE	03/10/2022	Drinking Water	4,8-Dioxa-3H-perfluorononanoic acid (ADONA)	EPA 533 (Rev. 1.0)
STATE	03/10/2022	Drinking Water	9-Chlorohexadecafluoro-3-oxanonane-1-sulfonic acid (9CI-PF3ONS)	EPA 533 (Rev. 1.0)
STATE	03/10/2022	Drinking Water	Hexafluoropropylene oxide dimer acid (HFPO-DA)	EPA 533 (Rev. 1.0)
STATE	03/10/2022	Drinking Water	Nonafluoro-3,6-dioxaheptanoic acid (NFDHA)	EPA 533 (Rev. 1.0)
STATE	03/10/2022	Drinking Water	Perfluoro(2-ethoxyethane)sulfonic acid (PFEEESA)	EPA 533 (Rev. 1.0)
STATE	03/10/2022	Drinking Water	Perfluoro-3-methoxypropanoic acid (PFMPA)	EPA 533 (Rev. 1.0)
STATE	03/10/2022	Drinking Water	Perfluoro-4-methoxybutanoic acid (PFMBA)	EPA 533 (Rev. 1.0)
STATE	03/10/2022	Drinking Water	Perfluorobutanesulfonic acid (PFBS)	EPA 533 (Rev. 1.0)
STATE	03/10/2022	Drinking Water	Perfluorobutanoic acid (PFBA)	EPA 533 (Rev. 1.0)
STATE	03/10/2022	Drinking Water	Perfluorodecanoic acid (PFDA)	EPA 533 (Rev. 1.0)
STATE	03/10/2022	Drinking Water	Perfluorododecanoic acid (PFDoA)	EPA 533 (Rev. 1.0)
STATE	03/10/2022	Drinking Water	Perfluoroheptanesulfonic acid (PFHpS)	EPA 533 (Rev. 1.0)
STATE	03/10/2022	Drinking Water	Perfluoroheptanoic acid (PFHpA)	EPA 533 (Rev. 1.0)
STATE	03/10/2022	Drinking Water	Perfluorohexanesulfonic acid (PFHxS)	EPA 533 (Rev. 1.0)

Accredited Labs Report

7/22/2022 7:19:41 AM

TYPE	EFFECTIVE DATE	MATRIX	ANALYTE	METHOD
STATE	03/10/2022	Drinking Water	Perfluorohexanoic acid (PFHxA)	EPA 533 (Rev. 1.0)
STATE	03/10/2022	Drinking Water	Perfluorononanoic acid (PFNA)	EPA 533 (Rev. 1.0)
STATE	03/10/2022	Drinking Water	Perfluorooctanesulfonic acid (PFOS)	EPA 533 (Rev. 1.0)
STATE	03/10/2022	Drinking Water	Perfluorooctanoic acid (PFOA)	EPA 533 (Rev. 1.0)
STATE	03/10/2022	Drinking Water	Perfluoropentane sulfonic acid (PFPeS)	EPA 533 (Rev. 1.0)
STATE	03/10/2022	Drinking Water	Perfluoropentanoic acid (PFPeA)	EPA 533 (Rev. 1.0)
STATE	03/10/2022	Drinking Water	Perfluoroundecanoic acid (PFUnA)	EPA 533 (Rev. 1.0)
STATE	05/24/2022	Drinking Water	11-Chloroeicosafluoro-3-oxaundecane-1-sulfonic acid (11CI-PF3OUdS)	EPA 537.1 (Rev. 1.0)
STATE	05/24/2022	Drinking Water	4,8-Dioxa-3H-perfluorononanoic acid (ADONA)	EPA 537.1 (Rev. 1.0)
STATE	05/24/2022	Drinking Water	9-Chlorohexadecafluoro-3-oxanonane-1-sulfonic acid (9CI-PF3ONS)	EPA 537.1 (Rev. 1.0)
STATE	05/24/2022	Drinking Water	Hexafluoropropylene oxide dimer acid (HFPO-DA)	EPA 537.1 (Rev. 1.0)
STATE	05/24/2022	Drinking Water	Perfluorobutanesulfonic acid (PFBS)	EPA 537.1 (Rev. 1.0)
STATE	05/24/2022	Drinking Water	Perfluorodecanoic acid (PFDA)	EPA 537.1 (Rev. 1.0)
STATE	05/24/2022	Drinking Water	Perfluorododecanoic acid (PFDoA)	EPA 537.1 (Rev. 1.0)
STATE	05/24/2022	Drinking Water	Perfluoroheptanoic acid (PFHpA)	EPA 537.1 (Rev. 1.0)
STATE	05/24/2022	Drinking Water	Perfluorohexanesulfonic acid (PFHxS)	EPA 537.1 (Rev. 1.0)
STATE	05/24/2022	Drinking Water	Perfluorohexanoic acid (PFHxA)	EPA 537.1 (Rev. 1.0)
STATE	05/24/2022	Drinking Water	Perfluorononanoic acid (PFNA)	EPA 537.1 (Rev. 1.0)
STATE	05/24/2022	Drinking Water	Perfluorooctanesulfonic acid (PFOS)	EPA 537.1 (Rev. 1.0)
STATE	05/24/2022	Drinking Water	Perfluorooctanoic acid (PFOA)	EPA 537.1 (Rev. 1.0)
STATE	05/24/2022	Drinking Water	Perfluorotetradecanoic acid (PFTA)	EPA 537.1 (Rev. 1.0)
STATE	05/24/2022	Drinking Water	Perfluorotridecanoic acid (PFTrDA)	EPA 537.1 (Rev. 1.0)
STATE	05/24/2022	Drinking Water	Perfluoroundecanoic acid (PFUnA)	EPA 537.1 (Rev. 1.0)
STATE	05/24/2022	Drinking Water	n-Ethyl perfluorooctanesulfonamidoacetic acid (NEtFOSAA)	EPA 537.1 (Rev. 1.0)
STATE	05/24/2022	Drinking Water	n-Methyl perfluorooctanesulfonamidoacetic acid (NMeFOSAA)	EPA 537.1 (Rev. 1.0)

46-00564
Eagle Industrial Hygiene Associates Inc
359 Dresher Rd
Horsham, PA 19044
(215) 672-6088

TYPE	EFFECTIVE DATE	MATRIX	ANALYTE	METHOD
STATE	08/04/2021	Drinking Water	Total coliform & E. coli (P/A)	E*Colite

46-05499
Eurofins Environment Testing Philadelphia LLC
213 Witmer Road
Horsham, PA 19044
(215) 355-3900

TYPE	EFFECTIVE DATE	MATRIX	ANALYTE	METHOD
NELAP	02/23/2017	Drinking Water	E. coli (Enumeration)	EPA 1603 (modified mTEC)
NELAP	08/17/2017	Drinking Water	Odor	SM 2150 B
NELAP	04/03/2020	Drinking Water	Residual free chlorine	SM 4500-Cl G
NELAP	04/03/2020	Drinking Water	Total residual chlorine	SM 4500-Cl G
NELAP	04/03/2020	Drinking Water	pH	SM 4500-H+ B
NELAP	04/10/2020	Drinking Water	Heterotrophic bacteria (Enumeration)	SM 9215 B
NELAP	02/23/2017	Drinking Water	Total coliform (Enumeration)	SM 9222 B
NELAP	02/23/2017	Drinking Water	Total coliform & E. coli (P/A)	SM 9222 B + 9221 F (EC + MUG)
NELAP	02/23/2017	Drinking Water	Total coliform & E. coli (P/A)	SM 9223 Colilert

09-05411
JW Testing LLC
6 Audrey Lane
Silverdale, PA 18962-0096
215-257-7542

TYPE	EFFECTIVE DATE	MATRIX	ANALYTE	METHOD
STATE	06/17/2019	Drinking Water	Free chlorine	SM 4500-CI G
STATE	06/25/2020	Drinking Water	Total residual chlorine	SM 4500-CI G
STATE	05/15/2017	Drinking Water	Heterotrophic bacteria (Enumeration)	SM 9215 B
STATE	11/08/2016	Drinking Water	Total coliform & E. coli (P/A)	SM 9222 B + 9222 G [NA+MUG]

09-00373
Quakertown Veterinary Clinic
2250 N Old Bethlehem Pike
Quakertown, PA 18951-3948
(215) 536-6245

TYPE	EFFECTIVE DATE	MATRIX	ANALYTE	METHOD
STATE	05/24/2017	Drinking Water	Total coliform & E. coli (P/A)	SM 9223 Colilert